

# Index

N.B. 'f' following a page locator indicates a figure and 't' indicates a table.

## A

- 3C (craniocerebellocardiac) syndrome (Ritscher-Schinzel syndrome) 67
- 22q11 deletion syndrome 76, 85, 175, 183, 366, 490–2, 521  
see also del (22q11), DiGeorge syndrome, Shprintzen or velocardiofacial syndrome (VCFs)
- 45, X/46, XY 544
- 46, XX/46, XY 544
- 47, XXX (Triple X syndrome) 494
- 47, XXY (Klinefelter syndrome) 496–7
- 47, XYY (XYY syndrome) 498–9
- Agenaes syndrome (cholestasis-lymphoedema syndrome) 198
- Aarskog syndrome (faciogenital dysplasia) 57, 196–7, 224, 243
- abdominal wall defects, anterior 566–7
- abetalipoproteinaemia 53, 232, 233
- acanthosis nigricans 211
- achalasia-addisonianism-alacrima (AAA) syndrome (Allgrove syndrome) 264
- achondrogenesis 631
- achondroplasia 57, 136, 260–1, 631
- achromatopsia 190, 406
- acricephaly 212
- acrocallosal syndrome (Schinzel syndrome) 215, 219, 249, 250
- acrocephalopolysyndactyly type II (Carpenter syndrome) 219, 289
- acrodysostosis 57
- acrofacial dysostosis 229  
with limb defects 153
- acromesomelic dysplasia (AMD) 57
- Adams-Oliver syndrome 153, 236
- Addison disease 264
- adenosine deaminase deficiency 364
- adoption 2–3  
genetic issues relating to 2–3  
genetic testing of children 29
- ADPKD (adult polycystic kidney disease) 624, 625
- adrenoleukodystrophy 97, 264  
see also X-linked adrenoleukodystrophy (X-ALD)
- adrenomyeloneuropathy 264
- adult cerebral adrenoleukodystrophy 264
- AEG syndrome  
(anophthalmia-oesophageal-genital syndrome) 177, 201
- aganglionic megacolon (Hirschsprung disease) 352–3
- agenesis of the corpus callosum 248–9
- agnathia-holoprosencephaly (agnathia-HPE) 131
- Aicardi syndrome 83
- Aicardi-Goutieres syndrome 107, 151
- Alagille syndrome 86, 221
- albinism 126–7, 190
- albinoidism 126
- Albright hereditary osteodystrophy (AHO) 57, 161, 193
- alcohol, cancer risks 462
- Alexander disease 97, 150, 163
- Allgrove syndrome  
(achalasia-addisonianism-alacrima (AAA) syndrome) 264
- alobar holoprosencephaly 130
- alpha-1 antitrypsin deficiency 220–1, 266–7
- Alport syndrome 268–9
- Alstrom syndrome 61, 190, 194, 233
- amblyopia 100, 224
- amelogenesis imperfecta 257–8
- amenorrhoea, female infertility and 586–7
- amniocentesis 602
- amniotic bands 153
- amyoplasia 49
- anaesthetic agents, sensitivity to 410–11
- anal anomalies 42–4
- anal atresias 42, 43
- androgen insensitivity syndrome 270–1, 586
- anencephaly 392, 395f  
recurrence risks 394f
- aneuploidy 610
- Angelman syndrome (del 15q11) 53, 127, 173, 272–3, 408, 521
- angiofibromata 420
- angiotensin-converting enzyme inhibitors (ACE inhibitors), in pregnancy 584
- aniridia 46
- anocerebrodigital syndrome (Pallister-Hall syndrome) 43, 131, 215
- anomalies, minor congenital 180
- anophthalmia 176–8
- anophthalmia-oesophageal-genital syndrome (AEG syndrome) 171, 201
- anterior segment eye malformations 46–7  
see also glaucoma
- aortic root dimensions, normal range 684–6
- APC (adenomatous polyposis coli) mutations 445
- Apert syndrome 254–5, 289
- aplasia cutis congenita 236–7
- apple peel syndrome 202
- arachnoid cysts 135, 249, 643
- ARC syndrome 49, 222
- Arnold-Chiari malformations 135
- ARPKD (autosomal recessive polycystic kidney disease) 624, 625
- arrhythmic right ventricular cardiomyopathy (ARVC) 361, 378–9
- arrhythmic right ventricular dysplasia (ARVD) 361, 378–9
- arthrogryposis (arthrogryposis multiplex congenita) 48–9, 123
- arthrogryposis multiplex congenita-spinal muscular atrophy association 49
- ARX (Aristaless related homeobox) gene abnormalities 165
- Ashkenazi jews 444  
colorectal cancer in 436
- Asperger syndrome 275
- asphyxiating thoracic dystrophy (Jeune syndrome) 215
- asplenia syndrome 148
- assisted reproductive technology (ART) 568–70
- association, definition 4
- ataxia  
in adults 50–1  
in children 52–4
- Ataxia telangiectasia 51, 304, 305
- ataxic cerebral palsy 53, 70, 71
- athetoid cerebral palsy 70, 71
- ATR-16 syndrome (del 16p) 549
- ATR-X syndrome (X-linked  $\alpha$ -thalassaemia mental retardation syndrome) 165, 182, 272
- atresia, oesophageal and intestinal 200–2
- attenuated familial adenomatous polyposis (FAP) 444
- autism 97, 166, 274–6
- autism spectrum disorders 274–6
- autoimmune  
polyendocrinopathy-candidiasis-ectodermal dystrophy (APECED) 620
- autosomal dominant (AD) disorders 6–7, 50
- autosomal dominant chondrodysplasia punctata 73
- autosomal dominant Emery-Dreifuss muscular dystrophy 375
- autosomal dominant HPE 131
- autosomal dominant polycystic kidney disease 262–3
- autosomal dominant retinitis pigmentosa 407
- autosomal recessive (AR) inheritance 8–9
- autosomal recessive disorders, carrier frequency and carrier testing 650–1
- autosomal recessive hypercholesterolaemia (ARH) 358
- autosomal recessive immunodeficiencies 367t
- autosomal recessive polycystic kidney disease 262
- autosomal recessive retinal dysplasia 230
- autosomal reciprocal translocations  
background 500–2  
familial 504  
postnatal 506  
prenatal 508–9
- Axenfeld-Rieger syndromes 46

## B

- bad news, breaking 10
- Baller-Gerold syndrome 228
- Bannayan-Riley-Ruvalcaba syndrome 211, 442
- Bannayan-Riley-Ruvalcaba/Cowden syndrome 160, 162, 207
- Bardet-Biedl syndrome 193, 215, 232, 625
- Barth syndrome 61
- Bartter syndrome 117
- basal cell naevus syndrome (Gorlin syndrome) 162, 452–3
- Batten disease 233
- Baye's theorem 646–7
- Beal syndrome (congenital contractural arachnodactyly) 380
- Beare-Stevenson syndrome 289
- Becker disease 389
- Becker muscular dystrophy 302, 308–11, 323, 374
- Beckwith-Wiedemann syndrome 61, 79, 128, 141, 206, 278, 487, 625
- behavioural pattern profiles 648–9
- Beighton scoring system 138
- benign childhood epilepsy with centrotemporal spikes (BCECTS) 315
- benign familial chorea 354
- benign familial haematuria 269
- benign familial neonatal-infantile seizures 315
- benign joint hypermobility syndrome 138–9, 313
- Bethlem myopathy 376
- bilateral acoustic neurofibromatosis (neurofibromatosis type 2) 65, 160, 210, 397, 470–1
- bilateral periventricular nodular heterotopia 166
- biliary atresia 220
- Binder syndrome 73, 182
- biotinidase deficiency 188
- bladder exstrophy 566
- blepharophimosis 224

- Blepharophimosis-ptosis-epicanthus inversus syndrome 225, 620
- Blomstrand dysplasia 144
- Bloom syndrome 304, 305, 487
- blue cone monochromatism, X-linked 190
- body wall complex (body stalk anomaly) 566
- bone density, increased 144–5
- bone marrow transplantation, HLA tissue typing for 569
- BOR syndrome (branchiootorenal syndrome) 92, 109, 113, 262, 624
- Börjeson–Forssman–Lehmann syndrome 165
- Boston craniosynostosis 289
- Bourneville disease (tuberous sclerosis) 208, 239, 262, 275, 420–3
- bowed limbs 572–3
- boys, pubertal stages 698
- brachycephaly 212
- brachydactyly 56–7
- type B 58
- type D 58
- type E 58
- branchiooculofacial syndrome (Haemangiomatous branchial cleft syndrome) 83
- branchio-otorenal syndrome 92, 109, 113, 262, 624
- BRCA1* and *BRCA2* 426–9
- BRCA1* and *BRCA2* mutations, likelihood of identifying 432t
- breast cancer 426, 427, 428, 430–3
- criteria for evaluating a family history of 432t
- in men 430
- breast MRI 434–5
- breast surveillance 434–5
- brittle bone disease (osteogenesis imperfecta) 122
- broad thumbs 58–9
- Bruck syndrome 123
- Brugada syndrome 378–9
- Bruton disease (X-linked agammaglobulinaemia) 365
- butyrylcholinesterase deficiency 410
- C**
- CADASIL 296
- café au lait spots 210
- campomelic dysplasia 39, 572
- Camurati–Englemann syndrome 145
- Canavan disease 97, 150, 163
- cancer 425–88
- confirmation of diagnosis 440
- lifestyle factors 462
- patterns of 690–2
- surveillance methods 434–5
- Cantu syndrome 79
- carbamazepine, and fetal anticonvulsant syndrome 591
- carbamazole, in pregnancy 584
- carbamazole/methimazole embryopathy 183
- carbohydrate-deficient glycoprotein syndrome 67, 180, 233
- cardiac rhabdomyoma, isolated 421
- cardiofaciocutaneous syndrome 61, 117, 163, 402
- cardiomyopathy, dilated 302–3
- Carey–Fineman–Ziter syndrome 254
- Carmi syndrome 236
- Carney complex 160, 467, 470
- carnitine deficiency 61
- Carpenter syndrome (acrocephalopoly-syndactyly type II) 219, 289
- carrier status, testing for 28–9
- cat-eye syndrome 43, 82, 109, 177, 552
- cataracts 64–5
- catecholaminergic polymorphic ventricular tachycardia 379
- caudal regression 43
- CD40 ligand deficiency (X-linked hyper-IgM syndrome) 365
- cell division 510–13
- Cenani–Lenz syndrome 255
- centile charts for head circumference
- boys 0–18 years 660
- girls 0–18 years 661
- centile charts for height, weight and head circumference 652–61
- boys 0–1 yr 653
- boys 0–20 yrs 655
- boys 1–5 yrs 654
- boys pre-term 652
- girls 0–1 yr 657
- girls 0–20 yrs 659
- girls 1–5 yrs 658
- girls pre-term 656
- central neurofibromatosis (neurofibromatosis type 2) 65, 160, 210, 397, 470–1
- central-core disease 410
- cerebellar anomalies 66–8
- cerebellar ataxia, autosomal dominant 191
- cerebellar haemangioblastoma 485
- cerebellar vermis aplasia 66
- cerebello-oculo-renal syndromes 67
- cerebral adrenoleukodystrophy
- adolescent 264
- childhood 264
- cerebral palsy 70–1
- cerebrooculofacioskeletal syndrome (COFS) 49, 65, 177, 304, 305
- cerebrocostomandibular syndrome (Rib-gap syndrome) 175
- Charcot–Marie–Tooth disease (hereditary motor and sensory neuropathy) 344–6, 349
- CHARGE syndrome 82, 86, 109, 113, 177, 201
- Charlevoix–Saguenay syndrome 53
- Chediak–Higashi syndrome 127, 365
- Chemotherapy 622
- Chiari II malformation 66, 392
- Chiari malformations 66
- chickenpox (varicella) 640
- CHILD syndrome 73
- childhood ataxia with central hypomyelination 151
- children
- with ataxia 52–4
- cardiomyopathy in under-10s 60–2
- developmental regression 96–8
- with dysmorphic features 102–4
- genetic testing for 29
- severe deafness in early childhood 90–3
- choanal atresia 183
- choledochal cysts 220
- cholestasis–lymphoedema syndrome (Aagaens syndrome) 198
- cholesterol biosynthetic defects 188
- chondrodysplasia punctata 65, 72–3
- choriocarcinoma 556
- chorion villus sampling, and placental biopsy 600
- choroideraemia 233
- chromosomal mosaicism 210
- postnatal 514–15
- prenatal 516–19
- chromosomes 489–563
- haploid autosomal lengths 676
- ring 538–9
- chronic granulomatous disease 365
- chronic progressive external ophthalmoplegia (CPEO) 385
- classical lissencephaly (type I lissencephaly) 156
- cleft lip and palate 74–7
- cleidocranial dysostosis 147
- Clouston syndrome 257
- clover leaf skull (Kleeblattschaedel) 212
- club-foot (talipes) 574
- coagulation disorders, inherited 338–40
- cobblestone lissencephaly (type II lissencephaly) 156
- cocaine, in pregnancy 584
- cochlear implants 93
- Cockayne syndrome 97, 233, 304, 305
- Coffin–Lowry syndrome 79, 165
- Coffin–Siris syndrome 79, 257
- COFS (cerebrooculofacioskeletal syndrome) 49, 65, 177, 304, 305
- Cohen syndrome 193, 233
- coloboma 82–3
- colobomatous microphthalmia 82
- and clefting 177
- non-syndromic 177
- colonoscopy 434
- colorectal adenomas 436, 444
- colorectal cancer 436–8
- family history criteria for risk groups 437t
- odds ratio and lifetime risk of dying from 437t
- see also familial adenomatous polyposis; hereditary nonpolyposis colorectal cancer (HNPCC)
- colour blindness 190
- common variable immunodeficiency (CVID) 365
- complete hydatidiform mole 556
- conductive deafness 90
- cone dystrophy 232
- confidentiality, of genetic information 12
- confined placental mosaicism 516
- congenital absence of uterus and vagina (CAUV) 586
- congenital adrenal hyperplasia (CAH) 39, 282–3, 586
- congenital adrenal hypoplasia 282
- congenital agranulocytosis (Kostmann syndrome) 365–6
- congenital anomalies, minor 180
- congenital bilateral absence of the vas deferens (CBAVD) 606
- congenital contractural arachnodactyly (Beal syndrome) 380
- congenital contractural arachnodactyly 49
- congenital cystic lung lesions 576
- congenital diaphragmatic hernia 578–9
- congenital fibrosis of the extraocular muscles 224
- congenital heart disease 84–7
- maternal illness and the risk of 84t
- teratogens and the risk of 84t
- congenital hydrocephalus 134–6
- congenital idiopathic motor nystagmus 191
- congenital insensitivity to pain with anhidrosis (CIPA) 252
- congenital intestinal aganglionosis (Hirschsprung disease) 352–3
- congenital leptin deficiency 194
- congenital limb defects, classification 152
- congenital magnesium malabsorption 188
- congenital malformation, consultation with a child with 4–5
- congenital myopathy 119
- congenital myotonic dystrophy 119, 388
- congenital rubella syndrome 628
- congenital urethral obstruction 625
- connexin 26 90
- connexin 30 90
- conotruncal anomaly face syndrome (22q11 deletion syndrome) 85, 175, 366, 490–2
- Conradi–Hünemann syndrome (X-linked dominant chondrodysplasia punctata) 72
- consanguinity 284–6
- developmental delay in the child with consanguineous parents 94–5
- contiguous gene deletion involving *TSC2-ADPK1* 421
- conversion charts, from English to metric units for height and weight 664–5
- convulsions
- benign familial neonatal 315
- benign neonatal 188
- corneal clouding 47, 88–9
- corneal dystrophies 88
- de Lange syndrome 154, 578, 631
- corpus callosum, agenesis of the 248–9
- Costello syndrome 61, 79, 117, 163, 207, 402–3
- Cowden syndrome 442–3

- craniodiaphyseal dysplasia 144  
 craniofrontonasal dysplasia 183, 196, 289  
 craniometaphyseal dysplasia 144, 145  
 craniosynostosis syndromes 113, 136, 213, 288–90  
 creatine kinase, levels in carriers of Duchenne muscular dystrophy 662  
 Cri du chat syndrome (del 5p) 548  
 Crigler–Najjar types 1 and 2 221  
 Cross syndrome 127  
 cross-linking agent repair 304  
 Crouzon syndrome 183, 289  
 cryptophthalmos 176, 224  
 Currarino syndrome 43, 576  
 cutis laxa 313  
 cyclic neutropenia 366  
 cystic fibrosis 202, 292–4  
   male infertility and 293, 606  
   pregnancy in women with 293–4  
 cystic hygroma 618  
 cystinosis 127  
 cytogenetic diagnoses, subtle rearrangements 602  
 cytomegalovirus (CMV) 580–1
- D**
- Dandy–Walker malformation (DWM) 66, 582  
 dating ultrasound scanning, for prenatal diagnosis 598  
 de Grouchy syndrome (del 18q) 549  
 de Lange syndrome, mild 243  
 de Morsier's syndrome (septo-optic dysplasia) 204, 243, 249  
 deafness 268  
   due to mutations in mitochondrial DNA 90  
   severe deafness in early childhood 90–3  
 del (1p36) 548  
 del (1p44) 548  
 del (2p) 548  
 del (2q) 548  
 del (2q37) 57, 255  
 del (3p) 548  
 del (3q) 548  
 del (4p) (Wolf–Hirschhorn syndrome) 82, 173, 183, 548  
 del (4q) 548  
 del (5p) (cri du chat syndrome) 548  
 del (5q) 548  
 del (15q11–13) (Prader–Willi syndrome) 117, 119, 127, 192–3, 521  
 del (6p) 548  
 del (6q) 548  
 del (7p) 548  
 del (7q) 548  
 del (7q11.23) (Williams syndrome) 79, 85, 117, 402, 521  
 del (8p) 548  
 del (8q) 548  
 del (8q24) (Langer–Giedion syndrome) 161, 521  
 del (9p) 548  
 del (9q) 548  
 del (10p) 549  
 del (10q) 549  
 del (11p) 549  
   del (11p13) WAGR 39, 143, 486, 521  
 del (12p) 549  
 del (13q) 549  
 del (14q) 549  
 del (15q) 549  
 del (15q11) (Angelman syndrome) 53, 127, 173, 272–3, 408, 521  
 del (16p) (ATR–16 syndrome) 549  
 del (16q) 549  
 del (17p11.2) Smith–Magenis syndrome 57, 79, 193, 521  
 del (17p13.3) (Miller–Dieker syndrome) 157, 158, 521, 549  
 del (17q) 549  
 del (18p) 549  
 del (18q) (de Grouchy syndrome) 549  
 del (19p) 549  
 del (19q) 549  
 del (20p) 549  
 del (20q) 549  
 del (21q) 549  
 del (22q11.2) DiGeorge syndrome 76, 85, 175, 183, 366, 490–2, 521  
 del (22q13.3) 207, 272, 549  
 del (Xp) 549  
 del (Xq) 549  
 del (11p13) WAGR 39, 143, 486, 521  
 deletions 520–2  
   molecular diagnosis 602  
 Delleman syndrome (oculocerebrocutaneous syndrome) 113, 236  
 dementia 296–7  
 dental pits 420  
 dentatorubropallidolusian atrophy (DRPLA) 50, 354  
 dentinogenesis imperfecta 258  
 Denver Developmental Screening Test 666  
 Denys–Drash syndrome 486  
 developmental delay  
   in child with consanguineous parents 94–5  
   consultation with a child with 4–5  
   obesity with and without 192–4  
   seizures with 238–40  
 developmental regression 96–8  
 diabetes, maturity-onset diabetes of the young 299  
 diabetes mellitus 298–300, 331  
 diabetes mellitus and diabetic embryopathy, maternal 612–13  
 diagnosis  
   communicating a 10  
   confirmation of 14  
 Diamond–Blackfan anaemia 219, 228  
 diastematomyelia 392  
 diastrophic dysplasia (dwarfism) 631  
 DiGeorge syndrome 366, 521  
   see also 22q11 deletion syndrome, Shprintzen or Velocardiofacial syndrome (VCFS)  
 diploid mosaicism 514  
 diploid triploid mosaicism 255, 556  
 distal arthrogyposis type 1 49  
 distal spinal muscular atrophy 346, 412  
 dizygotic twins (non-identical twins) 636–7  
 DNA repair defects 65, 117, 172–3, 304–7, 366  
 dolicocephaly 212  
 dominant-negative mutation 19  
 Donnai–Barrow syndrome 578  
 Donohue syndrome (leprechaunism) 79, 117, 299  
 DOOR syndrome 219, 257  
 dopa-responsive dystonia (Segawa syndrome) 107, 349, 405  
 doublecortin 157  
 Down syndrome (trisomy 21) 524–5  
 Drash syndrome 39–40, 143  
 drugs, in pregnancy 584–5  
 Duane radial ray syndrome (Okiihiro syndrome) 100, 153, 228  
 Duane retraction syndrome (Duane anomaly) 100  
 Dubowitz syndrome 117, 225  
 Duchenne muscular dystrophy 308–11  
   creatinine kinase levels in carriers 662  
   duplications 520–2  
   dysmorphic children 102–4  
   dysmorphism, consultation with a child with 4–5  
   dysmorphology  
     definition 4  
     examination checklist 670  
   dysosteosclerosis 145  
   dysplasia 4  
   dysraphism 392  
   dystonia 106–7  
   dystrophica myotonica (myotonic dystrophy) 65, 161, 224, 322, 388–90
- E**
- ear anomalies 108–10  
 ear tags and pits 180  
 echogenic bowel (hyperechogenic bowel) 594  
 ectrodactyly, autosomal dominant 154  
 ectrodactyly–ectodermal dysplasia–clefing syndrome (EEC syndrome) 76, 154, 257  
 Edwards' syndrome (trisomy 18) 526–7  
 EEC syndrome (ectrodactyly–ectodermal dysplasia–clefing syndrome) 76, 154, 257  
 Ehlers–Danlos syndrome 138–9, 312–13  
   hypermobility type 380  
   vascular type 380  
 Ellis–van Creveld syndrome 215  
 embryonic fetal development, overview 672–3  
 Emery–Dreifuss muscular dystrophy 302, 323, 375  
 EMG syndrome (Beckwith–Wiedemann syndrome) 61, 79, 128, 141, 206, 278, 487, 625  
 emphysema 266  
 encephalocele 392  
 encephalopathy, neonatal 186–9  
 enchondromatosis 161  
 endocrine abnormalities 141  
 endosteal hyperostosis 145  
 endometrial surveillance 434  
 Englemann syndrome 145  
 epicanthic folds 180  
 epidermolysis bullosa dystrophica 237  
 epidermolysis bullosa–pyloric atresia 201, 236  
 epilepsy 238–40, 318–20  
   classification 318t  
   epileptic seizure classification 318t  
   in infants and children 314–16  
 epiloia (tuberous sclerosis) 208, 239, 262, 275, 420–3  
 episodic ataxia 50  
 epispadias 142  
 espressivitiy 6  
 Evans myopathy 410  
 exercise, cancer risk reduction 462  
 exomphalos (omphalocele) 566  
 eyelid anomalies 224–6  
 eyes  
   anterior segment eye malformations 46–7  
   cataracts 64–5
- F**
- Fabry disease 88, 361  
 facial asymmetry 112–14  
 facial features, coarse 78–80  
 facioauriculovertebral syndrome (Goldenhar syndrome, oculoauricularvertebral spectrum) 109, 112–13, 175, 177, 201  
 faciogenital dysplasia (Aarskog syndrome) 57, 196–7, 224, 243  
 facioscapulohumeral (facioscapuloperoneal) muscular dystrophy (FSHD) 322–3, 376  
 factor IX–haemophilia B 338  
 factor V Leiden, testing for 417t  
 factor VII deficiency 339  
 factor VIII deficiency 339  
 factor X deficiency 339  
 factor XI deficiency 339  
 Fahr disease 107  
 failure to thrive 116–17  
 Falconer's polygenic threshold model 24  
 familial adenomatous polyposis 160, 444–8, 450, 460  
   see also colorectal cancer, hereditary nonpolyposis colorectal cancer  
 familial angiolipomatosis 160  
 familial brachial plexus neuropathy (hereditary neuralgic amyotrophy) 346  
 familial defective apoB-100 (FBD) 358  
 familial exudative vitreoretinopathy 230

- familial hypercholesterolaemia 358  
 familial infiltrative fibromatosis 445  
 familial isolated hyperparathyroidism 467  
 familial macrocephaly 162  
 familial medullary thyroid cancer 352, 466  
 familial partial lipodystrophy (Dunnigan variety) 299  
 familial progressive intrahepatic cholestasis 221  
 familial Wilms tumour 486, 487  
 family tree sheet and symbols 674–5  
 Fanconi anaemia (FA) 219, 228, 304, 305–6, 487  
 Fanconi syndrome 631  
 fatty acid oxidation, and ketogenesis disorders 141  
 Feingold syndrome 201  
 female infertility and amenorrhoea 586–7  
 femur–fibula–ulna complex 154  
 fertility, pregnancy and 565–644  
 fetal akinesia sequence 49, 131  
 fetal alcohol syndrome 116–17, 177, 225, 243, 588–9  
 fetal anomaly scanning 598  
 fetal anticonvulsant syndrome 590–1  
 fetal echocardiography 598  
 fetal hydrocephalus 643  
 fetal hydrops 618  
 fetal magnetic resonance imaging 598–9  
 fetal sexing 598  
 fetomaternal alloimmunization 592–3  
 FG syndrome 43  
 fibrodysplasia ossificans progressiva 161  
 Filippi syndrome 255  
 FLAIR sequences 694  
 flexible sigmoidoscopy 434  
 Floating Harbor syndrome 183, 243  
 floppy infants 118–20, 139  
 fluconazole, in pregnancy 584  
 FMR1 (fragile X syndrome) 162, 163, 166, 275, 324–6  
 focal dermal hypoplasia (Goltz syndrome) 82, 177, 209, 236  
 focal dystonia 106  
 folinic acid-responsive seizures 188  
 fontanelle, large 146–7  
 forehead fibrous plaque 420  
 fostering 2–3  
 fractures, during childhood 122–4  
 fragile X pre-mutation carrier 620  
 fragile X pre-mutation tremor/ataxia syndrome 51  
 fragile X syndrome (FRAX) 162, 164, 166, 275, 324–6  
 Fraser syndrome 177, 225, 624  
 Frasier syndrome 40, 143, 486  
 Friedreich's ataxia (FRDA) 51, 53, 61, 346, 349, 361  
 frontometaphyseal dysplasia 145  
 frontonasal dysplasia 183, 196  
 frontotemporal dementia with parkinsonism, autosomal dominant 296  
 Fryns syndrome 88, 201, 230, 578  
 FSH receptor mutations 620  
 Fukuyama congenital muscular dystrophy (FCMD) 157, 158
- G**  
 gain-of-function mutations (activating mutations) 19  
 galactokinase deficiency 65  
 galactosaemia 64, 221, 620  
 Gardner syndrome (familial adenomatous polyposis) 160, 444–8, 450, 460  
 gastric cancer 450–1  
 gastrointestinal surveillance 434  
 gastroschisis 566  
 geleophysic dysplasia 57  
 genetic code, and mutations 18–19  
 genetic information, confidentiality 12  
 genetic testing 3, 28–9  
 consent for 16–17  
 genetics consultation, communication skills 10  
 genitalia, ambiguous 38–41, 282  
 genomic imprinting 20–1  
 germline mosaicism 6, 32, 34  
 Gerstmann–Straussler disease 51  
 gestational trophoblastic tumour 556  
 Gilbert syndrome 221  
 Gillespie syndrome 47, 67  
 girls, pubertal stages 698  
 glaucoma 328–9, 382  
 see also anterior segment eye malformations  
 glomus tumours, autosomal dominant 160  
 glucose-6-phosphate dehydrogenase deficiency 221  
 glutaric aciduria 252  
 glutaric aciduria type 1 162  
 glycogen storage disease 61  
 GM1 gangliosidosis 150, 198  
 GM2 gangliosidosis 150  
 Goldenhar syndrome (oculoauriculovertebral spectrum, facioauriculovertebral syndrome) 109, 112–13, 175, 177, 201.  
 Goltz syndrome (focal dermal hypoplasia) 82, 177, 209, 236  
 gonadal agenesis/dysgenesis 586  
 Gorlin syndrome 162, 452–3  
 Greig cephalopolysyndactyly 58, 196, 214–15, 219  
 Griscelli syndrome 127  
 Gryns 'anophthalmia plus' syndrome 177  
 gyrate atrophy of the choroid and retina 233
- H**  
 Haddad syndrome 352  
 HADHB deficiency 61  
 haemangiomas, branchial clefts (branchiooculofacial syndrome) 83  
 haemochromatosis 330–2  
 haemoglobin C,  $\beta$ -thalassaemia 336–7  
 haemoglobin E,  $\beta$ -thalassaemia 337  
 haemoglobinopathies 334–7  
 haemophilia 338–40  
 hair, unusual 256–8  
 Hallermann–Streiff syndrome 65, 177  
 hand–foot–genital syndrome 57, 143  
 haploid autosomal lengths 676  
 haploinsufficiency 19  
 Hardy–Weinberg equation 650  
 hearing aids 93  
 heart disease, congenital 84–7  
 hemiatrophy 128  
 hemifacial microsomia (oculoauriculovertebral spectrum) 109, 112–13, 175, 177, 201  
 hemihyperplasia 113  
 hemihypertrophy  
 isolated 128–9, 487  
 and limb asymmetry 128–9  
 Hennekam syndrome 198  
 hereditary arthro-ophthalmopathy (Stickler syndrome) 65, 73, 76, 139, 175, 182, 380, 414–15  
 hereditary diffuse gastric cancer 450  
 hereditary haemorrhagic telangiectasia (HHT) 342–3  
 hereditary motor and sensory neuropathy (HMSN) 344–6, 349  
 hereditary multiple exostoses 161  
 hereditary neuralgic amyotrophy (familial brachial plexus neuropathy) 346  
 hereditary neuropathy with liability to pressure palsies (HNPP) 346  
 hereditary nonpolyposis colorectal cancer, see also colorectal cancer, familial adenomatous polyposis  
 hereditary nonpolyposis colorectal cancer (HNPCC) 450, 454–8  
 Amsterdam diagnosis criteria 456  
 clinical definition 456t  
 tumour risk 455t  
 hereditary persistence of fetal hemoglobin (HPFH) 334  
 hereditary spastic paraplegis (hereditary spastic paraparesis) 348–50  
 heredodegenerative dystonia 106  
 Hermansky–Pudlack syndrome 127  
 hernia, congenital diaphragmatic 578–9  
 heterotaxy 148  
 heterozygous  $\beta$ -thalassaemias 336  
 Hirschsprung disease 352–3  
 holoprosencephaly (HPE) 130–2, 642–3  
 holoprosencephaly polydactyly syndrome (Pseudotrisomy 13) 131  
 Holt–Oram syndrome 86, 153, 219, 229  
 homocystinuria 127, 328, 380, 417  
 homozygous  $\alpha$ -thalassaemias 336  
 homozygous  $\beta$ -thalassaemias 335–6  
 Hoyerall–Hreidarsson syndrome (HHS) 67  
 HSCR (Hirschsprung disease) 352–3  
 Huntington disease (chorea) 50, 296, 354–6  
 predictive testing 28  
 hyaline fibromatosis, juvenile 160  
 hydranencephaly 135, 643  
 hydrocephalus 134–6, 642, 643  
 hydrolethals syndrome 214, 219, 631  
 hydrometacarpalpolydactyly syndrome 215  
 hydrops 618  
 17 $\beta$ -hydroxysteroid dehydrogenase deficiency 40  
 hypercholesterolaemia 358  
 hyperchogenic bowel (hyperchoic bowel) 594  
 hyperechogenic (bright) kidneys 624  
 hyperglycaemia, non-ketotic 187–8  
 hyperinsulinism, autosomal dominant 141  
 hyperlipidaemia 358–9  
 hypermobile joints 138–9  
 hypostosis 144  
 hyperparathyroidism–jaw tumour syndrome 467, 487  
 hyperpyrexia 258, 410  
 hypertrophic (obstructive) cardiomyopathy 360–2, 378  
 hypochondroplasia 57, 243, 260  
 hypoglycaemia, in the neonate and infant 140–1  
 hypogonadotropic hypogonadism 586, 607  
 hypohidrotic ectodermal dysplasia, X-linked 256  
 hypomelanosis of Ito 208, 210, 257, 514, 562  
 hypomelanotic macules 420  
 hypoparathyroidism, sensorineural deafness, renal dysplasia syndrome 92  
 hypophosphatasia 122, 147, 252  
 hypoplastic left heart syndrome 596  
 hypospadias 142–3  
 hypothalamic disorder 194  
 hypotonia 118, 119  
 hypoxic ischaemic encephalopathy 187
- I**  
 ichthyosis, X-linked 604  
 idic(15) (inverted duplicated chromosome 15 syndrome) 275, 552  
 idic(22) 552  
 idiopathic epilepsy 319  
 idiopathic hyperphosphatasia 145  
 idiopathic intrauterine growth retardation 116  
 idiopathic torsion dystonia, adult-onset 107  
 IFN $\gamma$  receptor/interleukin 12 pathway defects 366  
 imaging in prenatal diagnosis 598–9  
 immunodeficiency and recurrent infections 364–8  
 immunoglobulin deficiencies, autosomal recessive 365  
 imprinting centres 21  
*in vitro* fertilization (IVF) 568  
 incest 370  
 incontinentia pigmenti 209, 210, 231, 257  
 infantile hypophosphatasia 572, 631

- infantile receptor dystrophies 406  
 infantile systemic hyalinosi 160  
 infections, immunodeficiency and recurrent 364–8  
 iniencephaly 392  
 interleukin 7 receptor alpha deficiency\* 364–5  
 intestinal atresia, isolated 202  
 intracranial aneurysm 263  
 intracranial anomalies, structural 248–50  
 intracytoplasmic sperm injection (ICSI) 568  
 invasive techniques, and genetic tests in prenatal diagnosis 600–3  
 inversions 528–9  
 inverted duplicated chromosome 15 syndrome (dic (15)) 275, 552  
 inverted nipples 180  
 ISCN nomenclature 680–1  
 isolated cleft lip and palate 76  
 isolated tracheo-oesophageal fistula 202  
 isomerism 148  
 Ivemark syndrome 148
- J**
- Janus-associated kinase 3 deficiency 365  
 jaundice, in neonates and infants 220–2  
 jejunal atresia (apple peel syndrome) 202  
 Jervell and Lange–Nielsen syndrome 378  
 Jeune syndrome (asphyxiating thoracic dystrophy) 215  
 Johanson–Blizzard syndrome 117, 183, 236  
 joint hypermobility 138–9  
 Joubert syndrome 66–7, 215, 233  
 juvenile haemochromatosis 330  
 juvenile Huntington disease 354  
 juvenile hyaline fibromatosis 160  
 juvenile myoclonic epilepsy 315  
 juvenile osteoporosis 122  
 juvenile Paget disease 145  
 juvenile parkinsonism, autosomal recessive 405  
 juvenile polyposis syndrome 460–1  
 juvenile X-linked retinoschisis 231
- K**
- Kabuki syndrome 76, 82, 86, 225, 243  
 Kallmann syndrome 586, 607  
 Kartagener's syndrome 148  
 karyotypes 682–3  
 Kaufman–McKusick syndrome 215  
 Kearns–Sayre syndrome 233, 385  
 Kenny–Caffey syndrome 145  
 KID syndrome (Keratinosis-ichthyosis-deafness syndrome) 92  
 kidney disease 262–3, 624, 625  
 King–Denborough syndrome 410  
 kleeblattschaedel (clover leaf skull) 212  
 Klein–Waardenburg syndrome (WVS3) 92  
 Klinefelter syndrome (47, XXY) 496–7, 606  
 Klippel–Feil anomaly (MURCS disorder) 100, 586, 624  
 Klippel–Trenaunay–Weber syndrome 128, 198  
 Kniest dysplasia 414  
 Kostmann syndrome (congenital agranulocytosis) 365–6  
 Krabbe disease 107, 151  
 Kugelberg–Wielander syndrome (SMA Type III) 412
- L**
- Lacrimo-auriculo-dental-digital (LADD) syndrome 29, 58  
 lamotrigine, and fetal anticonvulsant syndrome 591  
 landfill sites, heritable diseases from residents living near 622
- Landouzy–Dejerine muscular dystrophy (facioscapulohumeral muscular dystrophy) 322–3, 376  
 Langer–Giedion syndrome (del (8q24)) 161, 183, 257, 521  
 Laron syndrome 141  
 Larsen syndrome 139  
 laterality disorders 148–9  
 learning disability see mental retardation  
 Leber congenital amaurosis 67, 190, 406  
 Leber hereditary optic neuropathy 385  
 Leigh encephalopathy (subacute necrotizing encephalomyopathy) 372–3, 385  
 Leri–Weill dyschondroostosis (Leri–Weill syndrome) 243  
 lentiginos 211  
 Lenz microphthalmia syndrome 177  
 Lenz–Majewski syndrome 144  
 LEOPARD syndrome 61, 211, 360, 402, 475  
 leprechaunism (Donohue syndrome) 79, 117, 299  
 leptin receptor deficiency 194  
 lethal multiple pterygium syndrome 579  
 leukocyte adhesion deficiency 365  
 leukodystrophy 150–1  
 leukoencephalopathy 150–1  
 Lewy body dementia 296, 404–5  
 Lhermitte–Duclos disease 442  
 Li–Fraumeni syndrome 464, 487  
 limbs  
 hemihypertrophy and asymmetry 128–9  
 limb girdle muscular dystrophies 322, 374–7  
 limb reduction defects 152–4  
 short 630–2  
 lipodystrophy syndromes 117, 299  
 lipomas, autosomal dominant 160  
 lissencephaly 119, 156–8, 239  
 with cerebellar hypoplasia 67, 157, 158  
 lissencephaly sequence, isolated 157, 158  
 lithium, in pregnancy 584  
 lobar holoprosencephaly 130  
 Long QT syndrome 319, 378–9  
 loss-of-function mutation 19  
 Lowe oculo-cerebro-renal syndrome 65  
 lumps and bumps 160–1  
 lymphoedema–distichiasis syndrome 198  
 Lynch syndrome see hereditary nonpolyposis colorectal cancer
- M**
- McCune–Albright syndrome 128, 210  
 macrocephaly 162–3  
 see also overgrowth  
 macrocephaly–autism syndrome 163  
 macrocephaly–cutis marmorata telangiectatica congenital 207  
 macular degeneration (cone dystrophy) 232, 406  
 Maffucci syndrome 161  
 magnetic resonance imaging (MRI) 694  
 Majewski osteodysplastic primordial dwarfism II 183  
 male infertility, genetic aspects 606–8  
 malformation, definition 4  
 malignant hyperthermia 410  
 malignant peripheral nerve sheath tumours 399  
 malonyl-CoA decarboxylase deficiency 61  
 maple syrup urine disease 188  
 Marfan syndrome (MFS 1) 139, 380–3  
 and ectopia lentis 328  
 Ghent diagnostic criteria 381  
 neonatal MFS 382  
 Marfan syndrome type II (MFS 2) 380  
 marfanoid habitus, with learning difficulties 382  
 Martin–Bell syndrome (fragile X syndrome) 162, 164, 166, 275, 324–6  
 Martínez–Frias syndrome 201  
 Marshall syndrome 414  
 maternal age, infertility and 610
- maternal diabetes mellitus, and diabetic embryopathy 612–13  
 maternal phenylketonuria (PKU) 614–15  
 maternal serum oestriol 604  
 maternal uniparental disomy in chromosome 7, 243  
 maxillofacial dysplasia 182  
 Mayer–Rokitansky–Kuster–Hauser syndrome 586  
 Meacham syndrome 578  
 Meckel syndrome 177, 393  
 Meckel–Gruber syndrome 214, 625  
 MECP2 mutations 166  
 megalocornea 47  
 meiosis 510–11  
 female 510–11  
 male 511, 512f, 513f  
 melanocortin 4 receptor 194  
 MELAS syndrome 386  
 Melnick–Needles syndrome 144–5  
 Menkes syndrome 127, 252, 257  
 mental retardation 168–71  
 with apparent X-linked inheritance 164–6  
 offspring risks 170t  
 recurrence risks for sibs 170t  
 seizures with 238–40  
 MERRF syndrome 386  
 metabolic disorders  
 investigation of lethal 678  
 late-onset 296  
 metachromatic leukodystrophy 150  
 methylmalonic aciduria 61  
 MHC class 2 deficiency (bare lymphocyte syndrome) 365  
 microcephaly 172–3  
 microcephaly–lymphoedema syndrome 198  
 microcornea 47  
 microdeletion chromosomal abnormalities 546–50  
 micrognathia 174–5  
 microlissencephaly 157  
 microphthalmia 176–8  
 with linear skin defects 209, 236  
 Miller syndrome 109, 153  
 Miller–Dieker syndrome (MDS) 157, 158, 521, 549  
 Milroy primary congenital lymphoedema (Milroy disease) 198  
 minicore myopathy 410  
 minor congenital anomalies 180  
 miscarriages 610, 616–17  
 mismatch repair genes, recessive mutation 211  
 missense mutations 18–19  
 mitochondrial DNA diseases 384–7  
 mitochondrial inheritance 22–3  
 mitochondrial myopathy 323  
 mitochondrial respiratory chain disorders 221  
 mitosis 510f  
 MMLH syndrome 625  
 Moebius syndrome 100, 113, 153, 254, 389  
 Mohr–Majewski syndrome 215  
 molar-tooth sign 66  
 molecular karyotyping using arrays 547  
 moles 211  
 monosomy 1p36 194  
 monozygotic twins (identical twins) 637–8  
 mosaic tetrasomy 12p (Pallister–Killian syndrome) 79, 514, 518, 578  
 mosaic trisomy 2 516  
 mosaic trisomy 7 517  
 mosaic trisomy 8 514, 517, 530  
 mosaic trisomy 9 517  
 mosaic trisomy 13 517, 534  
 mosaic trisomy 15 517  
 mosaic trisomy 16 517, 532  
 mosaic trisomy 18 517, 526–7  
 mosaic trisomy 20 517–18  
 mosaic trisomy 21 518, 524–5  
 mosaic trisomy 22 514, 518  
 mosaic Turner syndrome 198, 620  
 mosaic variegated aneuploidy 487, 514–15

- mosaicism  
   postnatal chromosomal 514–15  
   prenatal chromosomal 516–19  
   sex chromosome 544–5  
 Mowat–Wilson syndrome 143, 173, 239, 249, 272, 352  
 MSX1 mutations and non-syndromic cleft lip and palate 76  
 Muenke syndrome 289  
 Muir–Torre syndrome 160, 454  
 Mulibrey–nanism syndrome 487  
 Müllerian aplasia 586  
 multicystic dysplastic kidney 624  
 multifactorial inheritance 24–5  
 multiple acyl-coA dehydrogenase deficiency 61  
 multiple carboxylase deficiency 188  
 multiple cutaneous and uterine leiomyomatosis 160  
 multiple endocrine neoplasia (MEN) 466–8  
   multiple endocrine neoplasia type 1 (MEN1) 466  
   multiple endocrine neoplasia type 2 (MEN2) 466  
   multiple endocrine neoplasia type 2A 352  
   multiple pregnancies, prenatal invasive techniques and genetic tests 602  
   multiple pterygium syndrome 224  
   multiple schwannomas (isolated familial schwannomatosis) 470  
   multisystem disease 444  
 MURCS disorder (Klippel–Feil anomaly) 100, 586, 624  
 muscle–eye–brain disease 67, 135, 157, 230, 643  
 muscular dystrophy 61  
   congenital 119  
   distribution of muscle weakness in different types of 668  
   mutation rates 6  
   mutations, genetic code and 18–19  
   MUTYH mutations 445  
   myasthenia gravis 224  
   myoclonic dystonia 107  
   myoclonic encephalopathy, early 188  
   myotonic dystrophy 65, 161, 224, 322, 388–90
- N**  
 naevoid basal cell carcinoma syndrome (Gorlin syndrome) 162, 452–3  
 naevus anaemicus 208  
 Nager acrofacial dysostosis (Nager syndrome) 109, 175, 229  
 nail patella syndrome 257, 328  
 nails, unusual 256–8  
 Nance–Horan syndrome 65  
 nanophthalmos (or simple microphthalmia) 176, 328  
 NARP (neuropathy–ataxia–retinitis pigmentosa) 386  
 nasal anomalies 182–4  
 Naxos disease 379  
 nemaline myopathy 322–3  
 neonatal alloimmune thrombocytopenia 592–3  
 neonatal diabetes 298  
 neonatal encephalopathy 186–9  
 neonatal haemochromatosis 221, 330  
 neonates, early infantile epileptic encephalopathy 188  
 nephroblastoma (Wilms tumour) 39, 143, 486–8  
 nephropathy 268  
   non-syndromic 487  
 Neuhauser syndrome 47  
 neural tube defects 392–5  
 neuroacanthosis 355  
 neurofibromatosis type 1 (NF1) 128, 136, 160, 162, 163, 224, 396–400, 470  
   café-au-lait spots 210  
   diagnostic criteria 396t  
   frequency of complications 398t  
   glaucoma 328  
   neurofibromatosis type 2 (NF2) 65, 160, 210, 397, 470–1  
   neuronal ceroid lipofuscinoses 97, 233  
   neuronal migration disorders 156–8  
   Nicolaidis–Baraitser syndrome 79, 257  
   Niemann–Pick disease type A 222  
   night blindness, congenital stationary 190  
   Nijmegen breakage syndrome (NBS) 304, 306  
   nomograms 684  
   non-accidental injury 252–3  
   non-disjunction 535f  
   non-syndromic Wilms tumour 486–7  
   Noonan syndrome 60–1, 79, 85, 198, 224, 243, 360, 402–3  
   Norrie disease 230–1, 328  
   nuchal scanning 598  
   nuchal translucency 618  
   nucleotide excision repair 304  
   nystagmus 190–1
- O**  
 obesity  
   cancer risks 462  
   with and without developmental delay 192–4  
   ocular albinism, X-linked 190  
   ocular colobomata 82  
   ocular hypertelorism 196–7  
   oculoauriculovertebral spectrum (Goldenhar syndrome) 109, 112–13, 175, 177, 201  
   oculocerebrocutaneous (Delleman) syndrome 113, 236  
   oculocutaneous albinism 126–7, 190  
   oculodentodigital dysplasia 183, 255  
   oculopharyngeal myopathy 224  
   oedema 198–9, 618–19  
   OELS complex 43, 201, 566  
   oesophageal atresia 201  
   oesophageal cancer 450  
   Ohdo syndrome 225  
   Ohtahara syndrome 188, 314, 315  
   Okiihiro syndrome (Duane radial ray syndrome) 100, 153, 228  
   oligophrenin-1 166  
   Ollier disease 161  
   Ommen syndrome 364  
   Opitz FG syndrome 165  
   Opitz syndrome 43–4, 76, 143, 165, 183, 196, 201  
   optic nerve hypoplasia 190, 204  
   optic nerve pathway tumours 398–9  
   oral contraceptive pill, in pregnancy 584  
   oral-facial-digital syndromes 215, 255  
   type 1 183, 262  
   type 2 183  
   type Mohr (II) and Varadi (VI) 67  
   organic acidemias 188  
   oromandibular–limb–hypogenesis syndrome 153, 175, 254  
   OSMED (Weissenbacher–Zweymüller syndrome) 414  
   osteodysplastic dwarfisms 172, 183  
   osteogenesis imperfecta (brittle bone disease) 122, 123, 139, 252, 572, 631  
   osteopathia striata 145  
   osteopetrosis 144, 145  
   osteoporosis 122  
   osteoporosis–pseudoglioma syndrome 123, 230  
   otopalatodigital syndrome 145  
   type 1 (Taybi syndrome) 58  
   type 2 215  
   ovarian cancer 426, 427, 472–3  
   chance of identifying a BRCA1/2 mutation 472t  
   criteria for defining high-risk women 472t  
   ovarian surveillance 435
- overgrowth 113, 206  
   see also macrocephaly  
 oxycephaly 212
- P**  
 pachonychia congenita 257  
 pachytene diagram 500, 501f, 502f  
 Paget disease, juvenile 145  
 Pallister–Hall syndrome 43, 131, 215  
 Pallister–Killian syndrome (tetrasomy 12p) 79, 514, 518, 578  
 palmar creases, transverse 180  
 pantothenate kinase-associated neurodegeneration syndrome 107  
 papillorenal syndrome 83  
 paracentric inversions 528  
 paragangliomas 478  
 parathyroid cancer, sporadic 467  
 parietal foramina syndrome 147, 236  
 Parkinson disease 355, 404–5  
 partial androgen insensitivity syndrome (PAIS) 40, 270  
 partial hydatidiform mole 556  
 Patau syndrome (trisomy 13) 534–5  
 paternity testing 688  
 Pearson syndrome 386  
 PEHO syndrome 67, 97, 198, 239  
 Pelizaeus–Merzbacher disease 151, 165–6, 191  
 Pena–Shokeir syndrome 177  
 Pendred syndrome 92  
 penetrance 6  
 pericentric inversions 528  
 periventricular nodular heterotopia 158, 421  
 Perlman syndrome 207, 487  
 permanent neonatal diabetes 298  
 peroneal muscular atrophy (hereditary motor and sensory neuropathy) 344–6, 349  
 peroxisomal disorders 65, 188  
 persistent hyperinsulinaemic hypoglycaemia of infancy 141  
 persistent hyperplastic primary vitreous 230  
 Perthes disease 414  
 Peter anomaly 46  
 Peutz–Jeghers syndrome 211, 450, 460, 474–6  
 Pfeiffer syndrome 58, 219, 289  
 pheochromocytoma 478  
 phenylketonuria (PKU) 127  
   maternal 614–15  
   phytosterolaemia 358  
   piebaldism 208  
   Pierre–Robin sequence 74  
   pigmented naevi 211  
   plagiocephaly 212–13  
   poikiloderma 211  
   Poland anomaly 153  
   polycystic kidney disease 262–3  
   polymerase chain reaction-based analyses 602  
   polymicrogyria 157, 158  
   polymorphisms 547  
   polyposis syndrome, juvenile 460–1  
   polysplenia syndrome 148  
   porencephalic cysts 643  
   postaxial acrofacial dysostosis syndrome 153  
   postaxial polydactyly 214–16  
   Potter sequence 175  
   Prader–Willi syndrome (del 15q11–13) 117, 119, 127, 192–3, 521  
   pre-implantation genetic diagnosis (PGD) 26, 568–9  
   pre-implantation genetic screening (PGS) 569  
   preaxial polydactyly 218–19  
   predictive testing 28  
   pregnancy  
     anticonvulsant therapy during 590–1  
     drugs in 584–5  
     and fertility 565–644  
   premature ageing 65  
   premature osteoporosis 122  
   premature ovarian failure 620–1  
   prenatal chromosomal mosaicism 516–19

- prenatal diagnosis, invasive techniques and genetic tests 600–3  
 primary AR microcephaly 172  
 Pringle disease (tuberous sclerosis) 208, 239, 262, 275, 420–3  
 prion disease 296  
 pro-opiomelanocortin 194  
 progressive myoclonic epilepsy 97, 239  
 prophylactic laparoscopic salpingo-oophorectomy 473  
 prophylactic mastectomy 428  
 prophylactic salpingo-oophorectomy 427  
 Proteus syndrome 128, 160, 207, 397  
   diagnostic criteria 129t  
   proximal 11p deletion syndrome 147  
   proximal myotonic myopathy 388–9  
   Prune-belly syndrome 625  
   pseudoachondroplasia 57, 261  
   pseudo-autosomal inheritance 32  
   pseudocholinesterase deficiency 410  
   pseudohermaphroditism 143  
   pseudohypoadosteronism 282–3  
   pseudohypoparathyroidism 193, 243  
   pseudomosaicism 516  
   pseudoTORCH syndrome 135, 172, 643  
   pseudotrisomy 13 131  
   pseudo-warfarin embryopathy 73  
 PTEN hamartoma tumour syndrome (PHTS) 442  
 ptosis 224  
 puberty, staging of 698  
 purine nucleoside phosphorylase deficiency 364  
 pycnodysostosis 144, 147  
 pyelectasis, mild 625  
 Pyle dysplasia 145  
 pyridoxine-dependent seizures 188
- R**
- Rabson–Mendenhall syndrome 299  
 radial ray defects, and thumb hypoplasia 228–9  
 radiation-induced heritable diseases 622  
 radiological investigations 694  
 Raine syndrome 144  
 recessive disorders, molecular diagnosis 602  
   5 $\alpha$ -reductase deficiency 40  
 Refsum syndrome 233  
 renal agenesis 624  
 renal cell carcinoma 485  
 renal coloboma syndrome 83  
 renal cysts 485  
   and diabetes 262  
 renal tract anomalies 624–6  
 Rendu–Osler–Weber syndrome (hereditary haemorrhagic telangiectasia) 342–3  
 Renpenning syndrome 165  
 reproductive fitness 6  
 reproductive options, for future pregnancies 26  
 retinal angioma, solitary 484  
 retinal blindness, congenital 406  
 retinal dysplasia 230–1  
 retinal receptor dystrophies 232–4  
 retinitis pigmentosa 232, 406–7  
 retinoblastoma 480–2  
   Knudson's hypothesis 480f  
 retinoids, in pregnancy 584  
 retinopathy of prematurity (ROP) 230  
 Rett syndrome 97, 272, 408–9  
 rhesus D 592  
 rhizomelic chondrodysplasia punctata 73  
 ring chromosomal abnormalities 211  
 ring chromosomes 538–9  
 Roberts syndrome 154, 228, 229  
 Robertsonian translocation (13q;14q) 534, 540–2  
 Robin sequence 74, 174–5  
 Robinow syndrome 57, 58, 197  
   autosomal recessive 147  
 rod monochromatism (achromatopsia) 190, 406
- Romano–Ward syndrome 378  
 Rothmund–Thomson syndrome 209, 306  
 Roussy–Levy syndrome 53  
   rubella 628–9  
 Rubinstein–Taybi syndrome (RTS) 59, 131, 173, 183, 243  
 Russell–Silver syndrome 116, 129, 243, 631
- S**
- sacral pits and dimples 180  
 sacrococcygeal teratoma 576  
 Saethre–Chotzen syndrome 183, 224, 289  
 sagittal synostosis 289  
 Sanfilippo syndrome 97  
 scalp defects 236–7  
 scaphocephaly 212  
 Schimke immuno-osseous dysplasia 211  
 Schinzel syndrome (Acrocallosal syndrome) 215, 219, 249, 250  
 Schinzel–Giedion syndrome 144  
 schizencephaly 157, 158, 239  
 Schwachman–Diamond syndrome 117  
 Schwartz–Jampel syndrome 389  
 sclerocornea 47  
 sclerosis 144  
 sclerosteosis 145  
 Seckel syndrome 172  
   and microcephalic primordial dwarfism 631  
 SEDC (spondyloepiphyseal dysplasia congenita) 414  
 Segawa syndrome (dopa-responsive dystonia) 107, 349, 405  
 segmental neurofibromatosis type 1 (NF1) 397  
 seizures  
   with developmental delay/mental retardation 238–40  
   in neonates 186–9  
 semilobar holoprosencephaly 130  
 sensorineural deafness 90  
 septo-optic dysplasia (de Morsier's syndrome) 204, 243, 249  
 sequence, definition 4  
 Setleis syndrome 236  
 severe combined immunodeficiencies (SCID) 364  
 sex chromosome aneuploidy, prenatal diagnosis 536  
 sex chromosome mosaicism 544–5  
 sex reversal 40  
 shagreen patches 420  
 Shah–Waardenburg syndrome, with Hirschsprung disease 92  
 shaken baby syndrome 252  
 short limbs 630–2  
 short rib-polydactyly syndromes 214, 631–2  
 short stature 242–4  
 SHORT syndrome 46  
 Shprintzen syndrome (velocardiofacial syndrome) 76, 85, 175, 183, 366, 490–2, 521  
   see also del (22q11), DiGeorge syndrome  
 sickle cell anaemia 335  
 sickle cell  $\beta$ -thalassaemia 336  
 Silver–Russell syndrome 116, 129, 243, 631  
 Simpson–Golabi–Behmel syndrome 79, 162, 165, 206, 215, 487, 578  
 single hypopigmented macule 208  
 site-specific colorectal cancer see hereditary nonpolyposis colorectal cancer  
 sitosterolaemia 358  
 situs ambiguus 148  
 situs inversus 148  
 situs solitus 148  
 skeletal dysplasia 139, 246–7, 631, 632  
   charts 696–7  
   investigation of fetus and baby with 678  
   undiagnosed 572, 632  
   skewed X-inactivation 32, 34  
 skin, unusual 256–8  
 skin lesions
- patchy hypomelanotic 208–9  
 patchy pigmented 210  
 skin pigmentation, generalized disorders 126–7  
 skull shape, abnormalities 212–13  
 small bowel carcinomas 436  
 Smith–Lemli–Opitz syndrome 39, 67, 73, 76, 85, 222, 225  
   holoprosencephaly 131  
   hypospadias 142–3  
   microcephaly 172  
   postaxial polydactyly 215  
   short limbs 631  
 Smith–Magenis syndrome (del 17p11.2) 57, 79, 193, 521  
 smoking, cancer risk of smokers 462  
 somatic mosaicism 6  
 Sotos syndrome 162, 206  
 spastic cerebral palsy 70, 71  
 spastic paraplegia 2, X-linked 165–6  
 spina bifida  
   recurrence risks 394f  
   schematic drawings of various types 392f  
 spina bifida cystica 392  
 spina bifida occulta 392  
 spinal muscular atrophy 119, 412–13  
 spinocerebellar ataxia 50, 53, 355, 405  
 splice-site mutations 19  
 steatocystoma multiplex 160  
 Steinert disease (myotonic dystrophy) 54, 161, 224, 322, 388–90  
 steroid sulphatase deficiency 604  
 Stickler syndrome 65, 73, 76, 139, 175, 182, 380, 414–15  
 Sturge–Weber syndrome 328  
 subacute necrotizing encephalomyelopathy (Leigh encephalopathy) 372–3, 385  
 subcortical band heterotopia 158  
 subdural haemorrhage 252  
 submicroscopic chromosomal abnormalities, and the chromosomal phenotype 546–50  
 subtelomeric deletions, clinical features 548  
 subtelomeric rearrangements 547  
 sulphite oxidase deficiency 188  
 supernumerary marker chromosomes  
   postnatal 552–3  
   prenatal 554–5  
 suxamethonium sensitivity 410  
 syndactyly 254  
 syndrome, definition 4  
 synpolydactyly 254
- T**
- talipes calcaneovalgus 574  
 talipes equinovarus 574  
 TAR (thrombocytopenia–absent radius syndrome) 153, 228  
 tardive dyskinesia 355  
 tauopathies 404  
 Taybi syndrome (Otopalatodigital syndrome type 1) 58  
 Teebi syndrome(s) 197  
 teeth, unusual 256–8  
 Teunissen–Cremers syndrome 59  
 $\alpha$ -thalassaemias 336  
 $\beta$ -thalassaemias 335  
 thanatophoric dysplasia 260, 572, 631  
 Thomsen disease 389  
 thrombocytopenia–absent radius syndrome (TAR syndrome) 153, 228  
 thrombophilia 416–18  
 thyroid cancer 467  
 thumb hypoplasia, radial ray defects and 228–9  
 Timothy syndrome 378  
 tinea versicolor 208  
 toes, 2, 3 syndactyly 180  
 torsion dystonia, autosomal dominant early-onset 106  
 Townes–Brock syndrome 43, 109, 113, 219  
 toxoplasmosis 634

tracheo-oesophageal fistula 200, 201  
transcription-coupled repair 304  
transient neonatal diabetes 298  
translocations  
  autosomal reciprocal 500–2  
  familial autosomal reciprocal 504  
  postnatal autosomal reciprocal 506  
  prenatal autosomal reciprocal 508–9  
  Robertsonian 534, 540–2  
Treacher Collins syndrome 76, 92, 109, 113, 175  
tremors, benign essential 405  
trichorhinophalangeal syndrome (TRPS, Langer-Giedion syndrome) 161, 183, 257, 521  
trichothiodystrophy 304–5, 306  
trigonocephaly 212  
Triple X syndrome (47, XXX) 494  
triplet repeat mutations 19  
triploid mosaicism 514  
triploidy 255, 393, 556–7  
trisomies, and congenital heart disease 85  
trisomy 13 (Patau syndrome) 231, 487, 578, 625  
trisomy 18 (Edwards' syndrome) 487, 578  
trisomy 21 (Down syndrome) 524–5  
TrkB 194  
truncating mutations 19  
tuberous sclerosis (tuberous sclerosis complex) 208, 239, 262, 275, 420–3  
Turcot syndrome 444, 454  
Turner syndrome 85, 198, 558–60, 586, 620  
  mild 243  
turriccephaly 212  
twins, genetic testing for MZ 29  
twins and twinning 636–8  
tylosis 450

## U

Ullrich congenital muscular dystrophy 119  
ulnar–mammary syndrome 153–4, 215  
ultrasound scanning  
  for prenatal diagnosis 598  
  three-dimensional 598  
ungual fibromata 420  
uniparental disomy 21, 116, 193  
upper GI endoscopy 434  
urea cycle disorders 188  
urticaria pigmentosa 211  
Usher syndrome 92, 232

## V

VACTERL association 86, 153  
valproate, and fetal anticonvulsant syndrome 591  
Van Buchem disease 145  
Van der Woude syndrome 76  
vanishing white matter disease 151  
varicella (chickenpox) 640

vascular Ehlers–Danlos syndrome (EDS) 312–13  
vascular malformations 147  
VATER/VACTERL association 43, 201, 229, 624  
velocardiofacial syndrome (Shprintzen syndrome) 76, 85, 175, 183, 366, 490–2, 521  
  see also 22q11 deletion syndrome, del (22q11), DiGeorge syndrome  
ventriculomegaly (prenatal) 642–4  
vesico-ureteric reflux 625–6  
Virchow–Robin spaces 162  
visceral heterotaxy 148  
vitamin K deficiency 73  
vitiligo 126, 208  
von Hippel–Lindau disease 262, 484–5  
  complications and frequency 484t  
von Recklinghausen disease see neurofibromatosis type 1  
von Willebrand disease 339

## W

Waardenburg syndrome 91, 208, 352  
Wagner hereditary vitreoretinopathy/erosive retinopathy 414  
WAGR (Wilms tumour–aniridia–genitourinary anomalies–mental retardation) 39, 143, 486, 521  
Walker–Warburg syndrome 67, 135, 157, 158, 177, 230, 643  
warfarin, in pregnancy 584  
warfarin embryopathy 73, 182  
Watson syndrome 397, 402  
Weaver syndrome 206  
Weissenbacher–Zweymüller syndrome (OSMED) 414  
Werdnig–Hoffmann disease 412  
Werner syndrome 306  
West syndrome 315  
Wiedemann–Beckwith syndrome (Beckwith–Wiedemann syndrome) 61, 79, 128, 141, 206, 278, 487, 625  
Wiedemann–Rautenstrauch syndrome 65  
Wildervank syndrome 100  
Williams syndrome (del 7q11.23) 79, 85, 117, 402, 521  
Wilms tumour 39, 143, 486–8  
Wilson disease 355  
Wiskott–Aldrich syndrome 365  
Witkop syndrome 256–7  
Wolf–Hirschhorn syndrome (4p-) 82, 173, 183, 548  
Wolfram syndrome 299

## X

X inactivation 562  
X-autosome translocations 562–3

X-inactivation patterns 34  
X-linked adrenoleukodystrophy 151, 264–5, 349  
  see also adrenoleukodystrophy  
X-linked agammaglobulinaemia (Bruton disease) 365  
X-linked  $\alpha$ -thalassaemia mental retardation syndrome (ATR-X) 165, 182, 272  
X-linked Alport syndrome 268  
X-linked autism 166  
X-linked blue cone monochromatism 190  
X-linked chondrodysplasia punctata 32, 73  
X-linked cleft palate and ankyloglossia 76  
X-linked dominant (XLD) inheritance 32–3  
X-linked dystonia parkinsonism 107  
X-linked Emery–Dreifuss muscular dystrophy 375  
X-linked hydrocephalus 135, 643  
X-linked hyper-IgM syndrome (CD40 ligand deficiency) 365  
X-linked hypohidrotic ectodermal dysplasia 256  
X-linked ichthyosis (steroid sulphatase (STS) deficiency) 604  
X-linked immunodeficiencies 366t  
X-linked isolated lissencephaly XLIS 166  
X-linked laterality sequence 148  
X-linked lissencephaly with abnormal genitalia (XLAG) 157  
X-linked lymphoproliferative syndrome (Duncan syndrome) 365  
X-linked mental retardation 164–6  
X-linked ocular albinism 190  
X-linked recessive (XLR) inheritance 34–5  
X-linked retinitis pigmentosa (XLRP) 407  
X-linked retinoschisis, juvenile 231  
X-linked semi-dominant disorder 32  
X-linked semi-dominant inheritance 34  
X-linked severe combined immunodeficiencies (SCID) 364  
X-linked spastic paraplegia 2, 165–6  
xanthogranuloma, and chronic myelogenous leukaemia 399  
xeroderma pigmentosum (XP) 305, 306  
XYY syndrome (47, XYY) 498–9

## Y

Y chromosome anomalies 606–7  
Yunis–Varon syndrome 257

## Z

Zellweger syndrome 73, 88, 119, 147, 221–2, 233, 625